

# Smart Kiosk Hygiene Check Point

**3 in 1**

Sterilizer + Thermometer + Digital Sign



## Dimensions



## Parameter

### Screen

Dimension	21.5" TFTLCD
Effective Screen Area	476.64 (Y) x 268.11 (D) mm
Aspect Ratio	16:9 ratio
Resolution	1920(RGB) x 1080
Brightness	280 cd/m <sup>2</sup>
Contrast	4000:1
Point of View	89/89/89/89 (Typical) (CRX≥10)
Reaction Time	6ms

## Hardware

Processor	Quad Core, main frequency 1.5GHz
Internal Memory	2G DDR4
Internal Storage	EMMC 32GB/64GB
Decoding	Maximum 1080P support
USB port	USB 3.0 x 2
Network Port	RJ45 10 / 100M Access Connections WIFI support
Video Format	AVI, MP4

## Software


Server	Ftp Server
Independent Version	Ftp Server

## Disinfection

Product Capacity	4900-5000ml
Liquid Type	Automatic induction: Mist spray, foam soap drop
Ultraviolet Rays	Automatic induction: UV disinfection

## Electronic control

Input voltage	AC100-240v 50 / 60 HZ
---------------	-----------------------





**SARPEDON DIŐ TİCARET ANONİM ŐİRKETİ**  
Deęirmenyolu Caddesi, Birman İŐ Merkezi  
23/1-9 K: 3 İęerenky 34752 AtaŐehir İstanbul  
Tel: +90 (216) 577 1 444 Faks: +90 (216) 575 6 770